



# झापा गाउँपालिका

## गाउँ कार्यपालिकाको कार्यालय

### टाघनडुब्बा, झापा, कोशी प्रदेश, नेपाल



प.स .०८१।८२  
च.नं



### दररेट पेश गर्ने सम्बन्धि सूचना

प्रथम पटक प्रकाशित मिति २०८१/०७/१२

यस झापा गाउँपालिकाको आ.व २०८१।८२ को लागि जिल्ला दररेटमा उल्लेख नभएको खुल्ला जिम सामग्रीको आवश्यकता अनुसार खरिद गर्ने प्रयोजनका लागि उक्त सामानहरुको प्रति ईकाइ दररेट आवश्यक भएको हुदा नेपाल सरकार बाट इजाजत प्राप्त इच्छुक सप्लायर्सहरुले भ्याटमा दर्ता भएको प्रमाणपत्र , आर्थिक वर्ष २०८०।८१ को कर चुक्ता अथवा म्याद थप भएको प्रमाण, उद्योग व्यावसाय दर्ता भएको प्रमाण तथा पालिकाबाट पाएको इजाजत पत्र राखी यो सूचना प्रकाशन भएको मितिले १५ (पन्ध्र) दिन भित्र यस कार्यालयमा तपशिलमा उल्लेख सामानहरुको दररेट सहित पेश गर्नुहुनको लागि यो सूचना प्रकाशित गरिएको छ ।(साथै सम्पूर्ण उल्लेखित सामग्रीहरु ढुवानी, आवश्यक लेवल गरि तोकिएको स्थानमा फिटिग समेत गर्नेगरिको एकमुष्ठ प्रति ईकाइ दररेट पेश गर्न जानकारी गराइन्छ ।)

S.N	Picture	Particular	Qty	Rate	Amount	Amount in word
1		<b>Up and Down</b> <ul style="list-style-type: none"> <li>Type: Double units</li> <li>Over all Dimensions: 1400mm height, 950 length, 1400mm width.</li> <li>Pipe Type: NB B class G.I</li> <li>Base pipe: 40mm dia &amp; 1.5mm thick</li> <li>Handle: 25mm dia &amp; 1.5 mm thick</li> <li>Main Frame: 25mm x 50mm square pipe &amp; 1.5 mm thick</li> <li>Base plate: 260mm x 260mm &amp; 6mm thick</li> <li>Bearing: 50mm 14 piece</li> <li>Bearing hub: 50mm</li> <li>No of Footrest: 4</li> <li>Footrest: 350mm x 165mm</li> <li>Footrest material: LLDPE</li> <li>Handle Grip: 4 pieces</li> <li>Handle grip material: Rubber</li> <li>Joint: Welded/ Bolted</li> <li>Paint: Primer and 60-micron</li> </ul>	1 Set			

*(Handwritten signature)*  
गजेन्द्र श्यामकी अधिकारी

"गुणस्तरीय शिक्षा, स्वास्थ्य, कृषि र पूर्वाधार : समृद्ध झापा गाउँपालिकाको आधार"

info@jhapamun.gov.np || jhapamun.gov.np || jhaparm || 9852630900





# झापा गाउँपालिका



## गाउँ कार्यपालिकाको कार्यालय

टाघनडुब्बा, झापा, कोशी प्रदेश, नेपाल



प.स .०८११८२  
च.नं



		Power coating Polyester.				
2		<b>Twister</b> <ul style="list-style-type: none"><li>Type: Three side twister</li><li>Over all Dimensions: 1525 mm height, 1050 length, 1050 width.</li><li>Pipe Type: NB B class G.I</li><li>Main frame pipe: 114mm dia &amp; 2.5 mm thick.</li><li>Support frame pipe: 50mm dia &amp; 1.5 mm thick.</li><li>Handle: 3</li><li>Handle grip: 120mm long ,rubber</li><li>Handle grip nos: 6</li><li>Twister : 280mm dia</li><li>Twister material: LLDPE</li><li>Handle pipe: 25mm dia &amp; 1.5 mm thick.</li><li>Handle distance: 810mm</li></ul>	1 Set			
3		<b>Push Up Chest Press</b> <ul style="list-style-type: none"><li>Type: Double Lat pull</li><li>Over all Dimensions: 2430 mm height, 1000 length, 850 width.</li><li>Pipe Type: NB B class G.I</li><li>Main frame pipe: 114mm dia &amp; 2.5 mm thick.</li><li>Support frame pipe: 50mm dia &amp; 1.5 mm thick.</li><li>Double Base frame pipe: 35mm dia &amp; 1.5 mm thick.</li><li>Main pole distance: 430mm</li></ul>	1 Set			

*[Handwritten signature]*  
महेन्द्र थपलिया  
प्रमुख कार्यपालिका अधिकृत

"गुणस्तरीय शिक्षा, स्वास्थ्य, कृषि र पूर्वाधार : समृद्ध झापा गाउँपालिकाको आधार"

info@jhapamun.gov.np || jhapamun.gov.np || jhaparm || 9852630900






प.स. ०८१।८२  
च.नं

# झापा गाउँपालिका

## गाउँ कार्यपालिकाको कार्यालय

टाघनडुब्बा, झापा, कोशी प्रदेश, नेपाल



		<ul style="list-style-type: none"><li>• Handle pipe: 35mm dia &amp; 1.5 mm thick.</li><li>• Handle distance: 760mm</li><li>• Handle grip: 120mm long ,rubber</li><li>• Handle grip nos: 4</li><li>• Bearing nos: 22</li><li>• Bearing: 75mm 4, 35mm 8, 25mm 10</li><li>• Bearing hub: 114mm 4, 50mm 8, 30mm 10</li><li>• Shaft: 125mm &amp; 35mm thick</li><li>• Seat type: LLDPE with back rest</li><li>• Seat size: 300mm*225mm , back rest 250mm*200mm</li><li>• Joint: Welded/ Bolted</li><li>• Paint: Primer and 60-micron Power coating Polyester.</li></ul>			
4		<p><b>Double Abs Board</b></p> <ul style="list-style-type: none"><li>• Type: Double Setup Board</li><li>• Over all Dimensions: 915 mm height, 1525 length, 900 width.</li><li>• Pipe Type: NB B class G.I</li><li>• Main frame pipe: 114mm dia &amp; 2.5 mm thick.</li><li>• Support Frame: 50 mm dia &amp; 1.5 mm thick.</li><li>• Foot pipe: 25mm dia &amp; 1.5 mm thick.</li><li>• Setup board size: 430mm*1140mm</li></ul>	1 Set		

*Handwritten signature*  
गजेन्द्र थापाल  
महासहसचिव

"गुणस्तरीय शिक्षा, स्वास्थ्य, कृषि र पूर्वाधार : समृद्ध झापा गाउँपालिकाको आधार"

info@jhapamun.gov.np || jhapamun.gov.np || jhaparm || 9852630900






प.स. ०८११८२  
च.नं

# झापा गाउँपालिका

## गाउँ कार्यपालिकाको कार्यालय

टाधनडुब्बा, झापा, कोशी प्रदेश, नेपाल



		<ul style="list-style-type: none"><li>• Handle grip: 120mm long ,rubber</li><li>• Handle grip nos: 8</li><li>• Joint: Welded/ Bolted</li><li>• Paint: Primer and 60-micron Power coating Polyester.</li></ul>				
5		<p><b>Three People Walker</b></p> <ul style="list-style-type: none"><li>• Type: 3 People walker</li><li>• Over all Dimensions: 1575mm height, 3050mm length, 1200mm width</li><li>• Pipe Type: NB B class G.I</li><li>• Total pole: 4 pole</li><li>• Main frame pipe: 114mm dia &amp; 2.5 mm thick.</li><li>• Main frame pipe to pipe distance: 1020mm</li><li>• Handle support pipe: 35mm &amp; 2 mm thick</li><li>• Foot height from base: 800mm</li><li>• Bearing nos: 6</li><li>• Bearing: 75mm</li><li>• Bearing hub: 114mm</li><li>• Shaft: 175mm &amp; 35mm thick</li><li>• No of Footrest: 6</li><li>• Footrest: 350mm x 165mm</li><li>• Footrest material: LLDPE</li><li>• Joint: Welded/ Bolted</li><li>• Paint: Primer and 60-micron Power coating Polyester.</li></ul>	1 Set			

*Handwritten signature*  
प्रमुख कार्यपालिका अधिकारी

"गुणस्तरीय शिक्षा, स्वास्थ्य, कृषि र पूर्वाधार : समृद्ध झापा गाउँपालिकाको आधार"

info@jhapamun.gov.np || jhapamun.gov.np || jhaparm || 9852630900





प.स .०८११८२  
च.नं



# झापा गाउँपालिका

## गाउँ कार्यपालिकाको कार्यालय

टाघनडुब्बा, झापा, कोशी प्रदेश, नेपाल



झापा गाउँपालिका  
गाउँ कार्यपालिकाको कार्यालय  
टाघनडुब्बा, झापा, कोशी प्रदेश, नेपाल

6		<b>Shoulder Press</b> <ul style="list-style-type: none"><li>• Over all Dimensions: 2430 mm height, 1000 length, 850 width.</li><li>• Pipe Type: NB B class G.I</li><li>• Main frame pipe: 114mm dia &amp; 2.5 mm thick.</li><li>• Support frame pipe: 50mm dia &amp; 1.5 mm thick.</li><li>• Double Base frame pipe: 50mm dia &amp; 1.5 mm thick.</li><li>• Main pole distance: 430mm</li><li>• Handle pipe: 25mm dia &amp; 2.5 mm thick.</li><li>• Handle grip: 120mm long ,rubber</li><li>• Handle grip nos: 4</li><li>• Bearing nos: 16</li><li>• Bearing: 75mm 4, 35mm 4, 25mm 8</li><li>• Bearing hub: 114mm 4, 50mm 4, 30mm 8</li><li>• Shaft: 125mm &amp; 35mm thick</li><li>• Seat type: LLDPE with back rest</li><li>• Seat size: 300mm*225mm, back rest 250mm*200mm</li><li>• Joint: Welded/ Bolted</li><li>• Paint: Primer and 60-micron Power coating</li></ul>	1 Set			
7		<b>Leg Press</b> <ul style="list-style-type: none"><li>• Type: Double Row Machine</li><li>• Over all Dimensions: 900 mm height, 2650 length,</li></ul>	1 Set			

"गुणस्तरीय शिक्षा, स्वास्थ्य, कृषि र पूर्वाधार : समृद्ध झापा गाउँपालिकाको आधार"

info@jhapamun.gov.np || jhapamun.gov.np || jhaparm || 9852630900



झापा गाउँपालिका  
समृद्ध विकासको आधार



# झापा गाउँपालिका

## गाउँ कार्यपालिकाको कार्यालय



प.स .०८११८२  
च.नं

टाघनडुब्बा, झापा, कोशी प्रदेश, नेपाल



		<ul style="list-style-type: none"><li>850 width.</li><li>Pipe Type: NB B class G.I</li><li>Main frame pipe: 75mm*50mm &amp; 1.5 mm thick.</li><li>Seat frame pipe: 50mm*50mm &amp; 1.5 mm thick.</li><li>Support frame pipe: 50mm dia &amp; 1.5 mm thick.</li><li>Double Base frame pipe: 35mm dia &amp; 1.5 mm thick.</li><li>Handle: 2</li><li>Handle pipe size: 35mm dia &amp; 1.5 mm thick.</li><li>Handle height: 750mm</li><li>Handle distance: 815mm</li><li>Handle grip: 120mm long ,rubber</li><li>Handle grip nos: 4</li><li>Bearing nos: 16</li><li>Bearing: 75mm 8, 25mm 8</li><li>Bearing hub: 114mm 4, 30mm 10</li><li>Shaft: 125mm &amp; 35mm thick</li><li>Seat type: LLDPE with back rest</li></ul>			
8		<p><b>Double Surfboard</b></p> <ul style="list-style-type: none"><li>Type: Double Surfboard</li><li>Over all Dimensions: 1575 mm height, 950 length, 900 width.</li><li>Pipe Type: NB B class G.I</li><li>Main frame pipe: 114mm</li></ul>	1 Set		

*Handwritten signature*  
गाउँ कार्यपालिका  
प्रशासकीय अधिकारी

"गुणस्तरीय शिक्षा, स्वास्थ्य, कृषि र पूर्वाधार : समृद्ध झापा गाउँपालिकाको आधार"

info@jhapamun.gov.np || jhapamun.gov.np || jhaparm || 9852630900





# झापा गाउँपालिका


## गाउँ कार्यपालिकाको कार्यालय

टाघनडुब्बा, झापा, कोशी प्रदेश, नेपाल



प.स .०८१८२  
च.नं

गाउँ कार्यपालिकाको कार्यालय  
टाघनडुब्बा, झापा  
कोशी प्रदेश, नेपाल

		<ul style="list-style-type: none"><li>dia &amp; 2.5mm thick.</li><li>• Handle support pipe: 25mm &amp; 1.5 mm thick</li><li>• Handle: 915mm</li><li>• Stand: 950mm</li><li>• Stand pipe: 35mm dia &amp; 1.5 mm thick.</li><li>• Handle grip: 120mm long ,rubber</li><li>• Handle grip nos: 4</li><li>• Bearing nos: 2</li><li>• Bearing: 75mm</li><li>• Bearing hub: 114mm</li><li>• Shaft: 175mm &amp; 35mm thick</li><li>• No of Footrest: 2</li><li>• Footrest material: G.I</li><li>• Footrest base size: 360mm*300mm &amp; 1.5mm thick</li><li>• Joint: Welded/ Bolted</li><li>• Paint: Primer and 60-micron Power coating Polyester.</li></ul>			
9		<p><b>Shoulder Joint</b></p> <ul style="list-style-type: none"><li>• Type: Four wheels.</li><li>• Over all Dimensions: 1200mm Height, 800mm length, 800 mm width.</li><li>• Pipe Type: NB B class G.I</li><li>• Main foundation pipe: 114 dia, &amp; 2.5 mm thick</li><li>• Handle: 4 handle.</li><li>• Handle radius: 300mm outer</li></ul>	1 Set		

*Handwritten signature*  
गाउँ कार्यपालिका  
प्रशासकीय अधिकारी

गुणस्तरीय शिक्षा, स्वास्थ्य, कृषि र पूर्वाधार : समृद्ध झापा गाउँपालिकाको आधार

info@jhapamun.gov.np || jhapamun.gov.np || jhaparm || 9852630900






# झापा गाउँपालिका

## गाउँ कार्यपालिकाको कार्यालय

टाघनडुब्बा, झापा, कोशी प्रदेश, नेपाल



प.स .०८१।८२  
च.नं



		<ul style="list-style-type: none"><li>• Handle plate size: 0.8 mm thick</li><li>• Handle height from base: a) 1400mm b) 1150mm</li><li>• Joint: Welded/ Bolted</li><li>• Paint: Primer and 60-micron Power coating Polyester.</li></ul>				
10		<p><b>Three Sit Trainer</b></p> <ul style="list-style-type: none"><li>.Type Three Sit Trainer</li><li>.Over all Dimensions :1730mm Height,860mm Length, 860mm Width</li><li>.Pipe Type: NB B class G.I</li><li>.Main foundation pipe: 114 dia, &amp; 2.5 mm thick</li><li>.Number of Seat and Back 3 People</li><li>.Joint: Welded/ Bolted</li><li>.Paint: Primer and 60-micron Power coating Polyester.</li></ul>	1 Set			
11		<p><b>Single Ride</b></p> <ul style="list-style-type: none"><li>• Type: Single Ride</li><li>• Over all Dimensions: 1400 mm height, 850 length, 900 width.</li><li>• Pipe Type: NB B class G.I</li><li>• Main frame pipe: 114mm dia &amp; 1.5 mm thick.</li><li>• Support Frame: 50 mm dia &amp; 1.5 mm thick.</li><li>• Foot pipe: 25mm dia &amp; 1.5 mm thick.</li></ul>	1 Set			

*Handwritten signature*  
प.स. ०८१।८२  
च.नं

*Handwritten signature*

"गुणस्तरीय शिक्षा, स्वास्थ्य, कृषि र पूर्वाधार : समृद्ध झापा गाउँपालिकाको आधार"

info@jhapamun.gov.np || jhapamun.gov.np || jhaparm || 9852630900







# झापा गाउँपालिका



## गाउँ कार्यपालिकाको कार्यालय

टाघनडुब्बा, झापा, कोशी प्रदेश, नेपाल



प.स. ०८११८२  
च.नं.



		<ul style="list-style-type: none"><li>• Seat base pipe: 35 mm dia, &amp; 1.5 mm thick.</li><li>• Seat size: 300mm*225mm</li><li>• Seat material: LLDPE</li><li>• Handle grip: 120mm long ,rubber</li><li>• Handle grip nos: 4</li><li>• Bearing nos: 2</li><li>• Bearing: 75mm 2, 35mm 2</li><li>• Bearing hub: 114mm 2, 50mm 2</li><li>• Shaft: 175mm &amp; 35mm thick</li><li>• Joint: Welded/ Bolted</li><li>• Paint: Primer and 60-micron Power coating Polyester.</li></ul>			
12		<b>Treadmill</b> <ul style="list-style-type: none"><li>* Type Single Runner</li><li>* Over all Dimensions: 1150 mm height, 870 mm length, 580 mm width.</li><li>* Pipe Type NB B class GI and MS</li><li>* Main frame pipe: 36 mm and 860 mm</li><li>* Support frame pipe: 24mm*24mm</li><li>* Roller Size-36 mm dia</li><li>* Bearing 35 mm</li><li>* Joint: Welded/Bolted</li><li>* Paint: Primer and 60-micron powder coating polyester</li></ul>	1 Set		
13		<b>Balance Board</b> <ul style="list-style-type: none"><li>• Type: Balance board</li><li>• Over all Dimensions: 1825 mm height, 1050 length, 850 width.</li><li>• Pipe Type: NB B class G.I</li><li>• Main frame pipe: 114mm</li></ul>	1 Set		

*Signature*

"गुणस्तरीय शिक्षा, स्वास्थ्य, कृषि र पूर्वोधार : समृद्ध झापा गाउँपालिकाको आधार"

info@jhapamun.gov.np || jhapamun.gov.np || jhaparm || 9852630900



*Signature*  
प्रमुख कार्यपालिका  
झापा गाउँपालिका





प.स. ०८१।८२  
च.नं

# झापा गाउँपालिका

## गाउँ कार्यपालिकाको कार्यालय

### टाघनडुब्बा, झापा, कोशी प्रदेश, नेपाल



		<ul style="list-style-type: none"><li>dia &amp; 1.5 mm thick.</li><li>• Handle pole: 50mm dia &amp; 1.5 mm thick.</li><li>• Handle distance: 1015mm* 815mm</li><li>• Hanging pipe: 35mm dia &amp; 1.5 mm thick.</li><li>• Hanging: 2 side</li><li>• Footrest Base: 300mm* 900mm</li><li>• Hanging height: 800mm</li><li>• Handle height : 1000mm</li><li>• Bearing nos: 4</li><li>• Bearing: 25mm</li><li>• Bearing hub: 35mm</li><li>• Joint: Welded/ Bolted</li><li>• Paint: Primer and 60-micron Power coating Polyester.</li></ul>			
14		<p><b>Pull Up Bar</b></p> <ul style="list-style-type: none"><li>• Type: 3 pull up</li><li>• Over all Dimensions: 2750 mm height, 4600 length, 850 width.</li><li>• Pipe Type: NB B class G.I</li><li>• Main frame pipe: 114mm dia &amp; 1.5 mm thick.</li><li>• Pole Size: 3 pole 2750mm height, 1 pole 2285 mm height.</li><li>• Hanging pipe size: 35mm dia &amp; 1.5 mm thick.</li><li>• Distance between pole: 1525mm</li><li>• Joint: Welded/ Bolted</li></ul>	1 Set		

*Handwritten signature*  
प्रमुख कार्यपालिका अधिकृत

*Handwritten signature*

"गुणस्तरीय शिक्षा, स्वास्थ्य, कृषि र पूर्वाधार : समृद्ध झापा गाउँपालिकाको आधार"

info@jhapamun.gov.np || jhapamun.gov.np || jhaparm || 9852630900





प.स. ०८११८२  
च.नं.


# झापा गाउँपालिका


## गाउँ कार्यपालिकाको कार्यालय

टाघनडुब्बा, झापा, कोशी प्रदेश, नेपाल



कार्यपालिकाको कार्यालय  
टाघनडुब्बा, झापा  
कोशी प्रदेश, नेपाल

		<ul style="list-style-type: none"><li>• Paint: Primer and 60-micron Power coating Polyester.</li></ul>				
15		<p><b>Double Spinner</b></p> <ul style="list-style-type: none"><li>• Type: Double Spinner</li><li>• Over all Dimensions: 2750 mm height, 1050 length, 850 width.</li><li>• Pipe Type: NB B class G.I</li><li>• Main frame pipe: 114mm dia &amp; 1.5 mm thick.</li><li>• Support frame pipe: 50mm dia &amp; 1.5 mm thick.</li><li>• Double Base frame pipe: 35mm dia &amp; 1.5 mm thick.</li><li>• Ring Nos: 2</li><li>• Ring size: 450mm dia &amp; 1.5 mm thick.</li><li>• Ring pipe size: 25mm dia &amp; 1.5 mm thick.</li><li>• Bearing nos: 2</li><li>• Bearing: 35mm</li><li>• Bearing hub: 50mm</li><li>• Joint: Welded/ Bolted</li><li>• Paint: Primer and 60-micron Power coating Polyester.</li></ul>	1 Set			

  
गजेन्द्र थपलिया  
प्रमुख प्रशासकीय अधिकृत

"गुणस्तरीय शिक्षा, स्वास्थ्य, कृषि र पूर्वाधार : समृद्ध झापा गाउँपालिकाको आधार"

info@jhapamun.gov.np || jhapamun.gov.np || jhaparm || 9852630900

